



```

1: 1000000
2: 1000000
3: 1000000
4: 1000000
5: 1000000
6: 1000000
7: 1000000
8: 1000000
9: 1000000
10: 1000000

```

```

1: 1000000
2: 1000000
3: 1000000
4: 1000000
5: 1000000
6: 1000000
7: 1000000
8: 1000000
9: 1000000
10: 1000000

```

```

1: 1000000
2: 1000000
3: 1000000
4: 1000000
5: 1000000
6: 1000000
7: 1000000
8: 1000000
9: 1000000
10: 1000000

```

```

1: 1000000
2: 1000000
3: 1000000
4: 1000000
5: 1000000
6: 1000000
7: 1000000
8: 1000000
9: 1000000
10: 1000000

```







[illegible][illegible]

100

██████████













Figure 1. Schematic representation of the experimental design. The subjects were divided into two groups: the control group (CG) and the experimental group (EG). The CG was divided into two subgroups: the control group (CG) and the control group (CG). The EG was divided into two subgroups: the experimental group (EG) and the experimental group (EG). The subjects were divided into two groups: the control group (CG) and the experimental group (EG). The CG was divided into two subgroups: the control group (CG) and the control group (CG). The EG was divided into two subgroups: the experimental group (EG) and the experimental group (EG).







